

THIE UNITED SHATES OF ANDERICA

TO ALL TO WHOM THESE; PRESENTS: SHALL COME;

Asgrow Seed Company

Colhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTERN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEA

'Ivu

In Testimony Watercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this first day of May in the year of our Lord one thousand nine hundred and seventy-five

Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Scroice

Earl L Betz Secretary of Agriculture

(DATE)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

NSTRUCTIONS: See Reverse. VARIETY NAME OR TEMPORARY	2. KIND NAME			AL USE ONLY
DESIGNATION IVY (XP F3007)	Pea		PV NUMBER 74	00084
B. GENUS AND SPECIES NAME	4. FAMILY NAME (B	otanical)	FILING DATE	TIME A.M.
			4.3.74	<u> </u>
Pisum sativum	Leguminosae		FEE RECEIVED	BALANCE DUE
·	5. DATE OF DETER	RMINATION	\$ 250	\$
	1971		150	\$
6. NAME OF APPLICANT(S)	7. ADDRESS (Street	and No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA
O. NAME OF ATTENDANCES	Code)			CODE AND NUMBER
Accepts Cood Company	Velemezee	Michigan /000	Ī	(616) 382-4000
Asgrow Seed Company	Kalamazoo,	Michigan 4900	.	(010) 302-4000
9. IF THE NAMED APPLICANT IS NOT A	PERSON, FORM OF	10. STATE OF INCOM	PORATION	11. DATE OF INCOR-
ORGANIZATION: (Corporation, partnersh				PORATION
Corporation		Delaware		22 March, 1968
12. Name and mailing address of app	licant representative	(s), if any, to serve	in this application a	and receive all papers;
13. CHECK BOX BELOW FOR EACH ATTA Table Exhibit A, Origin and B Table Exhibit B, Botanical De Table Exhibit C, Objective De Table Exhibit D, Data Indicat Table Exhibit E, Statement of	reeding History of the escription of the Varie escription of the Varie ive of Novelty	ety	on 52 of the Plant V	ariety Protection Act.,
14A. Does the applicant(s) specify t			name only as a cla	iss of certified seed?
(See Section 83(a), (If "Yes,"	answer 14B and 14C	below.)	YES K NO	<u> </u>
14B. Does the applicant(s) specify t		14C. If "Yes," to	14B, how many gen	erations of production
limited as to number of general	tions?	beyond breed FOUNDATION		D CERTIFIED
The applicant declares that a viable ance of a certificate and will be re	e sample of basic see plenished periodicall	ed of this variety will y in accordance with	ll be deposited upon such regulations a	request before issus s may be applicable.
The undersigned applicant(s) of tuniform, and stable as required in Plant Variety Protection Act.	this sexually-reproduc n Section 41 and is en	ed novel plant varie	ty believes that the under the provisions	variety is distinct, of Section 42 of the
Applicant is informed that false r	epresentation herein.	can jeopardize prote	ction and result in p	oenalties.
		000		
april 8, 1979		_ Ullen	Troller	
(DATE)		(s	ISNATURE OF APPLIC	ANT)
			*	
(DATE)		(S	IGNATURE OF APPLIC	ANT)

INSTRUCTIONS

GENERAL: Send an original copy of the application sentities and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
 - 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
 - 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

arm qurubar

J. D. Atkin March 21, 1974

EXHIBIT A

	ORIGIN AND BREEDING HISTORY OF IVY (XP F3007) AMENDED Application #7400084
1963	Original cross XP-L11 X M61180
1964	F ₁ was grown.
1965	F ₂ was grown and selections were made.
1966	F ₃ was grown and single plant selections were made.
1967	F_4 was grown and single plant selections were made.
1968	\mathbf{F}_{5} was grown and single plant selections were made.
1969	F_6 was grown and single plant selections were made.
1970	F was grown and single plant selections were made.

PRELIMINARY YIELD TRIALS

1971	F ₈ was grown and reselected.		
	Yield trials conducted.		
	Designated XP+F3007		
	Increased during the winter.		
1972	Trials, increase and mass selection.		
1973	Trials, increase and mass selection.		
	Named Ivy.		

This variety appears to be quite stable. No off types have been observed in field production except for a small percentage of steriles and bloaters. These steriles and bloaters are found in all varieties and appear to be caused by environmental conditions. In the 1973 increase the field was very carefully rogued and no off types were found, but when the seed was hand picked approximately 2 seeds per 10,000 (28 seeds in 193 lb sample) were larger and lighter colored than normal. Although this very small percentage is not considered serious and, in fact, the seeds may simply be bleached, the entire production was very carefully hand picked and all seeds which were questionable in any respect were removed. In addition the variety will be completely reworked to remove any possible variation.

EXHIBIT B

BOTANICAL DESCRIPTION OF IVY (XP F3007)

Ivy is a small sieve freezer pea which produces a rather short but fairly dense plant. It is very late maturing in that it generally flowers on the 18th node and reaches 95 tenderometer about 4 days later than Dark Skin Perfection.

The mature plant height is about 55 cm and the plants are fairly stocky and determinate. There is some branching. The leaflets are dark green in color with a light wax and also marbling. The stipules are clasping, the same color as the leaflets, and larger than the leaflets. The flower color is white.

The pods are straight with a blunt end and are dark green and have a smooth, dull surface. The pods are generally borne as doubles and average about eight seeds per pod. The berries at 95 tenderometer are dark green, round with a smooth and shiny surface. The average sieve size is approximately 2.4.

The mature seeds are small, dark green, and have green cotyledons. The 100 seed weight is approximately 14 grams.

Ivy is resistant to Fusarium wilt but has not been tested for resistance to other diseases. It withstood extreme heat in 1973 at Twin Falls, Idaho, better than any other late varieties. Ivy resembles the variety Puget in many respects but is very different in others. Ivy is a full sieve size smaller at 95 tenderometer and is approximately three days later. Ivy seed is also much smaller.

(Pea)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

PEA (PISUM SATIVUM)

INSTRUCTIONS: See Reverse.	PEA (PISUM SATIVUM)	FOR OFFICIAL USE ONLY
NAME OF APPLICANT(S)		
ASGROW SEED COMPANY	4 7TP Code)	7400084
ADDRESS (Street and No. or R.F.D. No., City, State, and	A ZIP COZO	VARIETY NAME OF TEMPORARY DESIGNATION
		Ivy (XP-F3007)
en de la companya de La companya de la co		
	arietal character of this variety in th	e boxes below.
Place the appropriate number that describes the vipeline a zero in first box (e.g. 0 8 9 or 0 9) when number is either yy or less o	, , , , , , ,
1. TYPE:	and the second s	TOLDI E PODDED
1 = TALL (Internodes straight) 2 = DWARF (Internodes zigzag)	1 = GARDEN	2 FIELD 3 CONTROL
2. SEASON: 2 Node number of first bloom: 1 = EARLY (8 - 12)		node) 3 = LATE (Greater than 24th node)
3. MATURITY:	1 = ALASKA WR 2 = THOMAS L	AXTON WR 3 = LITTLE MARVEL
No. of days Earlier than		
	4 = WANDO 5 = ALDERMAN WR	6 = AUSTRIAN TINTE
0 8 No. of days Later than 5		
4. PLANT HEIGHT:	AN CONTRACTOR	or and a
0 5 5 cm. HIGH		
0 1 Cm. Shorter than	1 = ALASKA WR 2 = THOMAS I	AXTON WR 3 = LITTLE MARVEL
0 1 Cm. Shorter than	4 = WANDO 5 = ALDERMAN W	·
Cm. Taller than	4 - MANUO 5 - ALDERMAN	
	1	= SLIM (Alaska) 3 = HEAVY (Alderman)
<u>=</u>	<u> </u>	= MEDIUM (Thomas Laxton WR)
Habit: 1 = DETERMINATE 2 = INDETER		
	BRANCHES (Little Marvel) 3 = MOR	E THAN 2 BRANCHES (Dwarf Gray Sugar)
	1 8 NUMBER	R OF NODES
Node Color: 1 = GREEN 2 = RED BLOTO	CH [-[-] NOMOE:	
0 7 CM. INTERNODE LENGTH (Just below 1		
		WR) 3 = DARK GREEN (Alderman)
6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton	
3 Color: 4 = OTHER (Specify)		Assemble ED (Albeka)
2 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM	A 4 = HEAVY 2 Marbling:	1 = NONE 2 = MARBLED (Alaska)
	- TUP!	EE OR MORE
Number of leaflet pairs: 1 = NOT PAIRED	2 = ONE 3 = TWO 4 = THRE	
7. STIPULES:		a a acritic
1 = LACKING 2 = PRESENT	2 1 = NOT	CLASPING 2 = CLASPING
		1 = SMALLER 2 = SAME ed with leaflets): 3 = LARGER
1 = NOT MARBLED 2 = MARBLE	Size (Compar	ed with learless): 3 = LARGER
Color (Compared with leaflets): 1 = LIGHT	ER 2 = SAME 3 = DARKER	
8. FLOWER COLOR:		A
1 = MONOCOLOR 2 = BICOLOR		4
1 - Monocoton 2 sioses.) 1=WHITE 2=GI	REENISH 3 = LAVENDER 4 = PURPLE

1 Keel

5 = RED

6 - OTHER (Specify)

Standard Wing

XP-F300	

FORM GR-470-14 (REVERS	E)			
9, PODS:	1017 - 0 - 01 10171 V 0110VE		, 10	
Shape: 1 = STRA	/ED	2 End: 1 °	POINTED (Alderman)	2 ≖ BLUNT (Alaska)
	F GREEN (Alaska WR) 2 ≠ MEC R (Specify)	HUM GREEN 3 - DARK	GREEN (Alderman)	
Surface: 1 = SMOO		<u></u>	SHINY 2 - DULL	
2 Borne: 1 = SINGI 6 = TRIPL	E 2 DOUBLE 3 = SINGL E 7 = OTHER (Specify)	E AND DOUBLE 4 = SIN		E 5=DOUBLE&TRIPLE Some 9
0 6 CM. LENGTH	1 2 MM. W	IDTH (Between sutures)	0 8 NUMBER OF	F SEEDS PER POD
10. SEEDS (95 - 100 Tende				
3 Color: 1 = LIGHT 0 4 = OTHER	SREEN (Perfection Canner) 2 = (Specify)	GREEN (Little Marvel)) = DARK GREEN (Dark S	kin Perfection)
Shape: 1 = FLATTE	ENED 2 # ANGULAR 3 = 0	VAL 4 = ROUNDED	* * * * * * * * * * * * * * * * * * *	A STATE OF THE STA
SEEDS (Mature, Dry):	TH 2 = DIMPLED 3 = WRIF	NKLED 1 Surface:	1 = SHINY 2 = DULL	
Color: 1 = MONOC	COLOR 2 = BICOLOR			
7 Primary Color:	1 = CREAMY-WHITE (Mammoth			
<u> </u>	4 - YELLOW 5 - LIGHT GE			
- Secondary Color:	7 = DARK GREEN (Dark Skin Per 11 = GRAY 12 = BLACK	rfection) 8 = BLUE-GRE	EN (Alaska WR) 9 = BF	
	1 - SPLASHED 2 - MOTTLE		LECKED 5 = DOTTE	D
Hilum Floor Color: 1 = WHITE 2 = TAN 3 = BLACK 3 Cotyledon Color: 1 = YELLOW 2 = ORANGE 3 = GREEN				
GRAMS PER 100 SEED				
11. SEED SIEVE SIZE DIS	STRIBUTION (95 - 100) Tenderome	eter):		611
Sieve (%): 2 0	1 3 1 2 3 5 3	1 2 4 0 2	5 6	7 8
12. PLANT REACTION:	(0 = Not Tested; 1 = Susceptible; 2	= Resistant)		
0 1 = DROUGHT (Wando) 0 2 = COLD (Alaska) 2 3 = HEAT (Wando)				
13. DISEASE: (0 = Not To	ested; 1 = Susceptible; 2 = Resistan	rt)	Market Berling	4 . A & W. C
2 FUSARIUM WILT	· —	R-WILT A NAME OF A 10 TO	DOWNY MILDE	: W
0 ASCOCHYTA BLIGHT 0 POWDERY MILDEW 0 BACTERIAL BLIGHT				
0 PEA ENATION MOSAIC 0 YELLOW BEAN MOSAIC				
OTHER (Specify)				
14. INSECT: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)				
APHIDS OTHER (Specify)				
15. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED				
CHARACTER				
Leafiness	Puget	Fresh Seed (Color Puge	t
Leaf Color	Puget	Mature Seed	Color Puge	t
Pod Color	Puget	Seed Sha	pe Puge	t
Pod Shape	Puget	Plant Ha	bit Puge	t
REFERENCES: The follo	owing publication may be used	as a reference aid for the	standardization of char	acter descriptions and terms:
REFERENCES: The following publication may be used as a reference aid for the standardization of character descriptions and terms: 1. Shoemaker, D. N., 1934. Descriptions of Types of Principal American Varieties of Garden Peas. U.S.D.A.				

- Miscellaneous Publication, No. 170.

 2. Hedrick, V. P., 1928. The Vegetables of New York. New York Agricultural Experiment Station. Vol. 1., Part 1.

 3. Wade, B. L., 1943. A Key to Pea Varieties. U.S.D.A. Circular No. 676.

 Nickerson's or any recognized color fan may be used to determine color of the described variety.

EXHIBIT D

PROOF OF NOVELTY

Ivy is a small sieve freezer pea which is distinctly different from all other pea varieties known to us. Characteristics which are unique are:

- 1. Small sieve size and small seed.
- 2. Very late maturity.
- 3. Resistance to heat.

Ivy and Regent are both small sieve freezers but they have entirely different plant types, the sieve sizes differ considerably, and maturity is also very different. Following are data collected at Twin Falls, Idaho, in 1973.

	Degree Days	Average _Sieve
Regent :	1516	2.06
Ivy	1686	2.43
	+ 170	+ .3.7

Ivy is similar to Puget in many characteristics but differs in sieve size, and season of maturity. Following are data from Twin Falls, Idaho, in 1973.

	Degree Days	Average <u>Sieve</u>
Ivy	1686	2.43
Puget:	1629	3.54
	-+ <i>5</i> 7	-1.11

EXHIBIT E

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

Pea Ivy

Pea Ivy was originated by Dr. W. H. Pierce, retired, and was further developed into a commercial variety by Dr. Martin Schnock, Asgrow plant breeders. By agreement between employee and company, all rights to any invention, discovery, or development made by the employee are assigned to the company. No rights to such invention, discovery, or development are retained by the employee.